

## BARRICOR™ SP

Version 2.0 / USA 102000030995

# Revision Date: 01/09/2019 Print Date: 04/29/2020

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name BARRICOR™ SP

Product code (UVP) 84468096

**SDS Number** 102000030995

**EPA Registration No.** 432-1597

Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience

LP

500 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-800-331-2867

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Skin sensitisation: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

**Hazard statements** 

May cause an allergic skin reaction.

**Precautionary statements** 

Avoid breathing mist/ spray.



## BARRICOR™ SP

 Version 2.0 / USA
 Revision Date: 01/09/2019

 102000030995
 Print Date: 04/29/2020

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation or rash occurs: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Dispose of the contents/container according to current regulations of hazardous waste.

#### **Hazards Not Otherwise Classified (HNOC)**

No health hazards not otherwise classified. No physical hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Deltamethrin	52918-63-5	2.45
Alcohols, C16-18, ethoxylated	68439-49-6	1.2
Alcohols, C16-18 and C18-unsatd., ethoxylated (15 - 20	68920-66-1	1.2
FO)		

#### **SECTION 4: FIRST AID MEASURES**

#### **Description of first aid measures**

**General advice** When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed



## BARRICOR™ SP

Version 2.0 / USA 102000030995

Revision Date: 01/09/2019 Print Date: 04/29/2020

Risks This product contains a pyrethroid. Pyrethroid poisoning should not be

confused with carbamate or organophosphate poisoning.

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

## **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

In the event of fire and/or explosion do not breathe fumes.

Further information Keep out of smoke. Fight fire from upwind position. Remove product

from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Do not allow run-off from fire

fighting to enter drains or water courses.

**Flash point** No flash point - Determination conducted up to the boiling point.

**Auto-ignition temperature** 465 °C / 869 °F **Lower explosion limit** No data available

Upper explosion limit No data available

**Explosivity** Not explosive



## BARRICOR™ SP

Version 2.0 / USA 102000030995

Revision Date: 01/09/2019 Print Date: 04/29/2020

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

Protect from freezing. Keep away from direct sunlight.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m3		OES BCS*
		(TWA)		



## BARRICOR™ SP

 Version 2.0 / USA
 Revision Date: 01/09/2019

 102000030995
 Print Date: 04/29/2020

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance light beige to light brown

Physical State suspension

Odor weak characteristic
Odour Threshold No data available

**pH** ca. 3.0 - 4.5 (100 %) (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

**Density** ca. 1.02 g/cm<sup>3</sup> (20 °C)

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility miscible

Solubility in other solvents No data available

Decomposition No data available

temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity 200 - 550 mPa.s ( 20 °C) Velocity gradient 20 /s

80 - 200 mPa.s (20 °C) Velocity gradient 100 /s

**Flash point** No flash point - Determination conducted up to the boiling point.



## BARRICOR™ SP

 Version 2.0 / USA
 Revision Date: 01/09/2019

 102000030995
 Print Date: 04/29/2020

Auto-ignition temperature465 °C / 869 °FLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot explosive

**Other information** Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition No data available

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

Incompatible materials No data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin contact, Inhalation, Ingestion

**Immediate Effects** 

**Eye** Can cause minimal irritation to the conjunctiva with all irritation

resolving within 48 hours.

**Skin** slight irritation

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 5.08 mg/l

Acute dermal toxicity LD50 (male/female combined Rat) > 5,000 mg/kg

**Skin corrosion/irritation** slight irritation (Rabbit)

Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

Respiratory or skin

sensitisation

Skin: Sensitising (Mouse)

Assessment STOT Specific target organ toxicity - repeated exposure



Revision Date: 01/09/2019

Print Date: 04/29/2020

# BARRICOR™ SP

Version 2.0 / USA 102000030995

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

#### **Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH** 

None.

NTP

None.

**IARC** 

Deltamethrin 52918-63-5 Overall evaluation: 3

**OSHA** 

None.

## Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

## **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic

invertebrates Exposure

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)) 0.0131 µg/l

The value mentioned relates to the active ingredient deltamethrin.

**Toxicity to aquatic plants** EC50 (Algae) > 9.1 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

**Biodegradability** Deltamethrin:

Not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000



BARRICOR™ SP

Version 2.0 / USA Revision Date: 01/09/2019 102000030995 Print Date: 04/29/2020

**Bioaccumulation** Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

Mobility in soilDeltamethrin: Immobile in soil

Additional ecological

information

No other effects to be mentioned.

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Never place unused product down any indoor or outdoor drain.

**Contaminated packaging** Do not re-use empty containers.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

## **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DELTAMETHRIN SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III



# BARRICOR™ SP

 Version 2.0 / USA
 Revision Date: 01/09/2019

 102000030995
 Print Date: 04/29/2020

Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DELTAMETHRIN SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1597

**US Federal Regulations** 

**TSCA list** 

Alcohols, C16-18, ethoxylated 68439-49-6 Carnauba wax 8015-86-9 Alcohols, C16-18 and C18-unsatd., 68920-66-1 ethoxylated (15 - 20 EO)

Water 7732-18-5 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) Not applicable.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

**US States Regulatory Reporting** 

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

1,2-Propanediol 57-55-6 MN, RI

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



## BARRICOR™ SP

 Version 2.0 / USA
 Revision Date: 01/09/2019

 102000030995
 Print Date: 04/29/2020

**Hazard statements:** Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

#### **SECTION 16: OTHER INFORMATION**

## Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

## NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

## HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 1: Chemical Product and Company Information. Section 4: First Aid Measures. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

**Revision Date: 01/09/2019** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.